







Rehateam Progeo was established in 1996 by the union between Gianfranco Pivato and Luciano Nosella, two charismatic figures in the world of auxiliaries, who are above all endowed with specific technical knowledge.

Today the company represents the cream of the sector's international production and it registers a worldwide growing interest.

The indisputable sensitiveness to such very delicate sector as well as the long term experience, has allowed Progeo's brand to progressively increase its offer introducing new advanced and success-oriented products.

The research and developing department and the design division are indeed the company's beating heart. Today, thanks to innovative materials and to the use of the latest technologies, Progeo excels in this particular market, a niche that is more and more distinguished and demanding in its choices.

All that stands out in the design, in the multiple available configurations, in the recognised functionality, in the ergonomic and in all those factors which the peculiarity of the offer arises from.

While the society we are living in push us to using products normally coded as simple devices of support, Progeo orientates its clients to a product that is thought and manufactured to measure, capable of expressing its own personality.

If you wish, a new way or thinking for a different approach to the product, a product no longer to use but, indeed, to wear and extraordinarily able to make reveal a new intimacy.

It seems commonplace, but strengthening the conviction of feeling at ease anywhere positively drives us in our daily life, in our relations in any sphere.

Having new certainties, thus, is undoubtedly stimulating to the achievement of more and more ambitious goals.



INDEX

ULTRALIGHT RIGID FRAME WHEELCHAIRS (adult)

6 / IOKER

10 / JOKER EVOLUTION

14 / JOKER ENERGY

18 / NOIR

ULTRALIGHT FOLDING WHEELCHAIRS (adult)

22 / EGO

26 / TEKNA ADVANCE

28 / YOGA

30 / EXELLE

32 / EXELLE VARIO

LIGHT FOLDING WHEELCHAIR (adult)

34 / BASIC LIGHT

TILTING FOLDING WHEELCHAIR (adult)

36 / TEKNA TILT ADULT

ELECTRONIC WITH REMOVABLE POWER UNIT

38 / VARIOTRONIC

CHILD WHEELCHAIRS

40 / JOKER JUNIOR

42 / EXELLE JUNIOR

44 / JUNIOR LIGHT

46 / TEKNA TILT JUNIOR

48 / TECHNICAL DATA

SPORT AND LEISURE WHEELCHAIRS

52 / B-GAME

54 / T-GAME

56 / ONDA

BACK POSTURAL SYSTEM

66 / PHYSIO



DYNAMIC SEDUCTION



JOKER (version 2014)



A very successful rigid frame wheelchair that never stops amazing. With ultra light aluminium alloy or carbon fibre elliptical frame tubes, its well known driving and lightness characteristics are even more enhanced in the 2014 version. Linear and aggressive, Joker uses innovative technical solutions for a full personalization.





Patented system with a new plate for rear height and setting adjustments and with removable mud guards as standard.



New carbon fibre AIR backrest (optional), exclusive for the line of Progeo's rigid wheelchairs. It approximately keeps the weight characteristics of the version with upholstery and it allows all adjustments for a optimal posture.

Available with carbon fibre frame (optional).



Sliding front height adjustment with fork with integrated spirit level (free option).

Joker in the "Zero" version (optional) that allows for flip-up one piece or split footplates.






Sliding front height adjustment with new fork support (standard).



DETAILS OF CHARACTER





JOKER EVOLUTION



A special version of the JOKER range where every single detail is designed to guarantee maximum resistance and lightness by means of materials such as ERGAL, TITANIUM and CARBON FIBRE. An outstanding result that makes "JOKER EVOLUTION" the lightest fully adjustable rigid wheelchair in the market (weight from 7.9 kg).



SET COLOURS (REAR WHEELS AND FORKS)

New carbon fibre AIR backrest (optional), exclusive for the line of Progeo's rigid wheelchairs. It approximately keeps the weight characteristics of the version with upholstery and it allows all adjustments for a optimal posture.



Sliding front height adjustment with new fork support (standard).





Wide range of adjustment with sliding system for rear height and setting. Height and angle adjustable backrest that locks in the folded position, too.

Sliding front height adjustment with fork with integrated spirit level (free option).





Available with carbon fibre frame (optional).








JOKER ENERGY



If you are looking for a rigid frame wheelchair that is manufactured solely for you, the answer is Joker Energy. A fully welded customised frame where only the backrest can be adjusted. The elliptical section tubing improves rigidness to an eye-catching designed, extremely light and compact wheelchair.



JOKER ENERGY



Carbon fibre mudguard.



New carbon fibre AIR backrest (optional), exclusive for the line of Progeo's rigid wheelchairs. It approximately keeps the weight characteristics of the version with upholstery and it allows all adjustments for a optimal posture.



Frame with adjustable footplate (optional).



Minimum encumbrance without rear wheels and folded backrest.



Fully welded frame, made-to-measure.





DARING TEMPERAMENT

NOIR



Noir, a technology concentrate. Carbon fibre monocoque frame wheelchair, exclusively and individually made-to-measure. Each detail is accurately designed to accomplish an astonishing eye-catching and linear look as well as minimum weight, maximum resistance and unique manoeuvrability and dynamism. The wheelchair, which is moulded around You, becomes the integral part of Your style and of Your own charm.

FRAME COLOURS









carbon essence

red essence

lime esser





New carbon fibre AIR backrest (optional), exclusive for the line of Progeo's rigid wheelchairs. It approximately keeps the weight characteristics of the version with upholstery and it allows all adjustments for a optimal posture.




 $\label{thm:continuous} \mbox{Height and angle adjustable carbon fibre backrest} \mbox{ with light upholstery.}$





Monocoque carbon fibre frame, made-to-measure.

Frame with adjustable footplate (optional).





ADRENALINIC POWER




EGO



When design and technology meets, a brilliant reality comes to life....."EGO", the new concept of active wheelchair by PROGEO. Innovative open/close easy-to-use system and unbeatable rigidness for a extremely light folding wheelchair (less than 10kg in the lightest configuration).

Ultra light aluminium alloy or carbon fibre elliptical frame tubes, extremely reduced encumbrance...these are but a few of a TOP range model's features.



 $SET\ COLOURS\ (rear\ wheels\ and\ forks)$

 $TYPOLOGY: Ultra\ light\ wheel chair\ with\ folding\ axles\ system\ for\ indoor\ and\ outdoor\ use.\ Product's\ technical\ data-see\ page\ 49$



Extremely compact frame and minimum encumbrance, easy to load it in a car.



Wide range of adjustment:

- rear height backrest heightsetting backrest angle.



Syncro Motion Folding Axle, innovative Progeo concept.



Sliding front height adjustment with standard fork support.



Sliding front height adjustment with fork with integrated spirit level (free option).



Sliding front height adjustment with new fork support (free option).







TEKNA ADVANCE (version 2014)



The 2014 version is presented with a more dynamic design, with new innovative technical solutions, with a crossbar folding system hidden under the seat and with a noticeable reduction of the total weight.



TYPOLOGY: Ultra light wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data - see page 49



Extremely compact when folded.



Sliding front height adjustment with standard fork support.



Rear axis crossbar hidden under the seat.



Sliding front height adjustment with fork with integrated spirit level (optional).



Wide range of adjustment:
• rear height • backrest height
• setting • backrest angle.



Sliding front height adjustment with new fork support (optional).

YOGA



Yoga...c'est plus facile! Its patented folding system allows to open and close the wheelchair with a single and simple movement of the backrest. Functionality and convenience combined with a linear and elegant design.



SET COLOURS (REAR WHEELS AND FORKS)

TYPOLOGY: Ultra light wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data - see page 49





 $\label{eq:multiple adjustments:} \\$

- rear height backrest height angle setting front height.





Possibility of choice among different footplates. Pictured here, one piece flip-up carbon fibre footplate (optional).



Folding sequence.



Extremely reduced encumbrance.

EXELLE



One of the first wheelchairs born from PROGEO, still current for its harmonious shapes and proved resistance and reliability. Thanks to new technical solutions, this model is renewed once again through a more dynamic and slender design. The structure keeps its original resistance but its weight results nearly 2 kg lower than the former version.



SET COLOURS (REAR WHEELS AND FORKS)

TYPOLOGY: Ultra light wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data – see page 49





Standard frame version available with 2 front angles and 3 lengths.

Dynamic rear frame version (optional) with multi-adjustment rear wheel jointed plate, backrest angle adjustment and mudguard with rotative adjustment system.



 $\ensuremath{\mathsf{T-MAX}}$ brushed titanium frame version (optional). Maximum resistance and consistent weight reduction.



Extremely compact when folded.

EXELLE VARIO



Renewed and lightened, compact and elegant, Exelle Vario is equipped with a very functional system to swing the footplates inwardly/outwardly or simply remove them.

Fully customisable with a wide range of colours and accessories available.

FRAME COLOURS



SET COLOURS (REAR WHEELS AND FORKS)

 $TYPOLOGY: Ultra\ light\ wheel chair\ with\ cross\ brace\ folding\ system\ for\ indoor\ and\ outdoor\ use.\ Product's\ technical\ data\ -\ see\ page\ 49$

EXELLE VARIO



Extremely compact when folded.



Easy-to-operate footplate lock lever.



3 frame angles for the removable footplates: $95\ensuremath{^\circ}$



Removable and swing-away (inwardly/outwardly) footplates.



110°.



120°.

BASIC LIGHT



The evolution of the Basic Light project has reached undisputable levels of excellence with Basic Light Plus and its particularly adaptable and fully equipped frame. This model offers a very high level of quality characteristics, manoeuvrability and lightness, unique in its kind.

Plus configuration:

- Flip-up armrests, swing away, removable, height and depth adjustable
- Transit wheels for narrow passages (free option)
- Anti tippers (free option)

- Tipping aid (free option)
- Backrest with adjustable Velcro straps and padded transpiring upholstery
- Height and inclination adjustable backrest
- Removable and swing away footrest
- Angle adjustable footrest plate.



pearl bright red blue chi

TYPOLOGY: Light wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data - see page 50



Plus configuration with one arm drive (optional).



Plus configuration with elevating footrests (optional).



Swing away (outwardly) and removable footrests with easy-to-use system. Front height adjustment.



Wide range of adjustment:
• backrest angle (+6°, 0°, -6°)
• setting (also for amputees)
• rear height (7 positions).

TEKNA TILT ADULT



The range of adjustments and adaptations of a new generation ultra light wheelchair are combined with the tilt-in-space function.

Convenience, compactness and weight of the wheelchair are designed to considerably help the attendant.



TYPOLOGY: Tilting wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data – see page 50

TEKNA TILT ADULT



Tilt-in-space from 0° to 40°.



Maximum reduction of encumbrance, easy to load it even into an utility car.



Removable and swing away (outwardly) split footplate (standard).



Version with swing away and removable elevating footplates.



One piece footplate and front frame angle adjustment (optional).

VARIOTRONIC



Variotronic is a double function special model. It can be used as a manual ultra light wheelchair (Exelle Vario), or as a powered wheelchair (Variotronic) with the easy and quick to assemble electronic kit that provides power and reliability for outdoor use.



 ${\tt SET\ COLOURS\ (REAR\ WHEELS\ AND\ FORKS)}$

TYPOLOGY: Manual configuration: ultra light wheelchair with cross brace folding system for indoor and outdoor use. Electronic configuration: electronic wheelchair for indoor and outdoor use. Product's technical data – see page 50



Fully dismountable, it becomes easy to load it even into a utility car.



 ${\it Electronic configuration.}$

Drive kit assembly.

Manual configuration.

JOKER JUNIOR



Joker Junior, an ultra light active wheelchair that enables the child to express his/her own dynamism at best.



SET COLOURS (REAR WHEELS AND FORKS)

TYPOLOGY: Ultra light wheelchair with rigid frame for indoor and outdoor use. Product's technical data – see page 51

JOKER JUNIOF



Joker Junior equipped with some optional.



Minimum encumbrance without rear wheels and folded backrest.



Patented system with a new plate for rear height and setting adjustments and with removable mud guards as standard.



One piece aluminium footplate (standard).



Sliding front height adjustment.




 $\label{eq:def:Double footplate optional} Double footplate (optional) with front frame rigidizer.$

EXELLE JUNIOR



With Exelle Junior, Progeo redefines the children's active wheelchair by focusing the attention on the innovative design as well as on the posture personalisation and allowing for the child's growth.



TYPOLOGY: Ultra light wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data – see page 51



Standard frame version with length and seat depth adjustment plus some optional.



Extremely compact when folded.

Dynamic rear frame with multi-adjustment rear wheel jointed plate, backrest angle adjustment and mudguard with rotative adjustment system.



Abducted front frame with split or one piece flip-up footplate.







Standard rear frame with multiple adjustments.

Wide range of front height keeping the same unit fork/wheel.

JUNIOR LIGHT



A new model of light wheelchair for the evolutive age which, in its standard configuration, includes some of the most important accessories. Excellent value for money.



TYPOLOGY: Light wheelchair with cross brace folding system for indoor and outdoor use. Product's technical data – see page 51



Extremely compact when folded.



Version with mudguards (standard), removable and height adjustable push handles for attendant (standard) and flip-up and height adjustable tubular armrests (optional).



Rear wheel height and setting adjustment, anti tip system (standard).



Version with removable and height adjustable Desk armrests (free option).



Angle and depth adjustable split footplate with heel strap.



Removable, swing-away footplate.

TEKNA TILT JUNIOR



The range of adjustments and adaptations of a new generation ultra light wheelchair are combined with the tilt-in-space function. Convenience, compactness and weight of the wheelchair are designed to considerably help the attendant.



TYPOLOGY: Tilting wheelchair with cross brace folding system for indoor and outdoor use. Per info consultare pag.51



Tilt-in-space from 0° to 40°.



Wide range of adjustment:

- backrest position on the framebackrest angle

- armrest position along the framefront frame angle (not for standard front frame)
- $\bullet \ seat \ height$
- the independent adjustments of rear wheel's and anti tipper's positions allow to make the wheelchair more compact or more



One piece footplate and front frame angle adjustment (standard).



Maximum reduction of encumbrance, easy to load it even into an utility car.



Removable and swing-away split footplate (optional) with frame angle adjustment.

TECHNICAL DATA PROGEO WHEELCHAIRS









	JOKER	JOKER EVOLUTION	JOKER ENERGY	NOIR
TYPOLOGY	ULTRALIGHT RIGID (folding backrest)	ULTRALIGHT RIGID (folding backrest)	ULTRALIGHT RIGID (folding backrest)	ULTRALIGHT RIGID (folding backrest)
SEAT WIDTH	33 36 39 42 45 48 cm	33 36 39 42 45 cm	33 36 39 42 45 48 cm	33 36 39 42 45 cm
SEAT DEPTH	35 37.5 40 42.5 45 47.5 50 cm	35 37.5 40 42.5 45 47.5 cm	35 37.5 40 42.5 45 47.5 50 cm	35 37.5 40 42.5 45 47.5 cm
FOOTPLATE DISTANCE	from 35 to 54 cm (adjustable)	from 35 to 54 cm (adjustable)	made-to-measure	made-to-measure
BACKREST HEIGHT	from 24.5 to 47 cm (adjustable)	from 24.5 to 47 cm (adjustable)	from 24.5 to 47 cm (adjustable)	from 24.5 to 47 cm (adjustable)
BACKREST ANGLE	from 74° to 94° (adjustable)	from 74° to 94° (adjustable)	from 74° to 94° (adjustable)	from 74° to 94° (adjustable)
CAMBER	0° 2° 4°	0° 2° 4°	0° 2° 4° 8° 12°	0° 2° 4°
FRONT HEIGHT	from 40 to 56 cm (adjustable)	from 40 to 56 cm (adjustable)	from 36 to 54 cm (made-to-measure, NOT adjustable)	from 44 to 54 cm (made-to-measure, NOT adjustable)
REAR HEIGHT	from 38 to 46 cm (adjustable)	from 38 to 46 cm (adjustable)	from 36 to 52 cm (made-to-measure, NOT adjustable)	from 37 to 48 cm (made-to-measure, NOT adjustable)
FRONT FRAME ANGLE	Aluminium 85° 90° 100° Carbon 85° 90° 95°	Aluminium 85° 90° 100° Carbon 85° 90° 95°	made-to-measure	85° 90° 95°
TOTAL WIDTH	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)
TOTAL LENGTH (standard configuration)	88 cm approx.	88 cm approx.	85 cm approx.	85 cm approx.
WHEELCHAIR'S WEIGHT (lightest configuration)	starting from 8.5 kg approx.	starting from 7.9 kg approx.	starting from 7.3 kg approx.	starting from 6.6 kg approx.
WEIGHT WITHOUT REAR WHEELS (lightest configuration)	starting from 5.9 kg approx.	starting from 5.3 kg approx.	starting from 4.7 kg approx.	starting from da 4.0 kg approx.
MAXIMUM LOAD	125 kg	125 kg	140 kg	125 kg
ENCUMBRANCE (folded wheelchair)				
TILT IN SPACE				
POWER UNIT				

ACCESSORIES AND OPTIONAL: consult the technical order form.

The technical data in this chart may change without notice. Some data in this chart may depend on the final configuration of the wheelchair.

TECHNICAL DATA











EGO	TEKNA ADVANCE	YOGA	EXELLE	EXELLE VARIO
ULTRALIGHT FOLDING (seat and backrest)	ULTRALIGHT FOLDING (seat)	ULTRALIGHT FOLDING (seat and backrest)	ULTRALIGHT FOLDING (seat)	ULTRALIGHT FOLDING (seat)
33 36 39 42 45 48 cm	36 39 42 45 48 cm	36 39 42 45 cm	33 36 39 42 45 48 cm	33 36 39 42 45 48 cm
35 37.5 40 42.5 45 47.5 cm	35 37.5 40 42.5 45 47.5 cm	35 37.5 40 42.5 45 47.5 cm	35 37.5 40 42.5 45 47.5 cm	35 37.5 40 42.5 45 47.5 cm
from 35 to 54 cm (adjustable)	from 35 to 54 cm (adjustable)	from 35 to 54 cm (adjustable)	from 32 to 51 cm (adjustable)	from 32 to 51 cm (adjustable)
from 24.5 to 47 cm (adjustable)	from 24.5 to 47 cm (adjustable)	from 24.5 to 47 cm (adjustable)	from 30 to 54 cm (adjustable)	from 30 to 54 cm (adjustable)
from 78° to 94° (adjustable)	84° 90° 96° (adjustable)	4 possible angles	Standard frame 90° Dynamic framefrom 81° to 99°	Standard frame 90° Dynamic frame from 81° to 99°
0° 2°	0° 2° 4°	0° 2°	Standard frame 0° 1.5° 3° Dynamic frame 0° 1.5° 2° 4°	Standard frame 0° 1.5° 3° Dynamic frame 0° 1.5° 2° 4°
from 40 to 58 cm (adjustable)	from 40 to 58 cm (adjustable)	from 43 to 53 cm (adjustable)	from 39 to 58 cm (adjustable)	from 39 to 58 cm (adjustable)
from 38 to 45 cm (adjustable)	from 38 to 46 cm (adjustable)	from 41 to 49 cm (adjustable)	from 38 to 51 cm (adjustable)	from 38 to 51 cm (adjustable)
Aluminium 85° 90° 100° Carbon 85° 90° 95°	90° 100°	90° 100°	100° 110°	95° 110° 120°
seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)
88 cm approx.	88 cm approx.	90 cm approx.	90 cm approx.	90 cm approx. (70 cm without footplates)
starting from 9.8 kg approx.	starting from 10.2 kg approx.	starting from 12.2 kg approx.	starting from 9.5 kg approx.	starting from 10.6 kg approx.
starting from 7.2 kg approx.	starting from 7.6 kg approx.	starting from 9.6 kg approx.	starting from 6.9 kg approx.	starting from 8.0 kg approx.
125 kg	125 kg	125 kg	125 kg	125 kg
28 cm approx. (with 0° camber)	28 cm approx. (with 0° camber)	28 cm approx. (with 0° camber)	26 cm approx. (with 0° camber)	26 cm approx. (with 0° camber)

ACCESSORIES AND OPTIONAL: consult the technical order form.

TECHNICAL DATA PROGEO WHEELCHAIRS







BASIC LIGHT

TEKNA TILT ADULT

VARIOTRONIC

TYPOLOGY	LIGHT FOLDING (seat)	TILTING FOLDING (seat and backrest)	ELECTRONIC AND MANUAL
SEAT WIDTH	36 39 42 45 48 51 54 cm	33 36 39 42 45 48 cm	36 39 42 45 48 cm
SEAT DEPTH	40 42.5 45 cm (adjustable)	37.5 40 42.5 45 47.5 50 cm	35 37.5 40 42.5 45 47.5 cm
FOOTPLATE DISTANCE	from 30 to 52 cm (adjustable)	from 27 to 50 cm (adjustable)	from 32 to 51 cm (adjustable)
BACKREST HEIGHT	from 27 to 47 cm (adjustable)	from 35 to 72.5 cm (adjustable)	from 30 to 54 cm (adjustable)
BACKREST ANGLE	84° 90° 96° (adjustable)	from 78° to 102° (adjustable)	90°
CAMBER	0°	0°	0°
FRONT HEIGHT	from 40 to 53 cm (adjustable)	from 39 to 50 cm with flat seat (adjustable)	49
REAR HEIGHT	from 38 to 53 cm (adjustable)	from 39 to 50 cm with flat seat (adjustable)	45
FRONT FRAME ANGLE	105°	Standard frame 95° Optional*: A 85° 90° 95° 100° B 95° 100°105° 110° C da 100° a 165°	110° 120°
TOTAL WIDTH	seat width + 20 cm	Larghezza seduta + 20 (con ruote post. da 300 mm)	seat width + 20 cm manual vers. + 21 cm electronic vers.
TOTAL LENGTH (standard configuration)	97 cm approx.	95 cm approx. (75 cm without footplates)	electronic vers. 105 cm approx. manual vers. 95 cm approx. (75 cm without footplates)
WHEELCHAIR'S WEIGHT (lightest configuration)	starting from 15.8 kg approx.	starting from 17.5 kg approx.	electronic version starting from 65.0 kg approx manual version starting from 13.0 kg approx.
WEIGHT WITHOUT REAR WHEELS (lightest configuration)	starting from 12.0 kg approx.	starting from 12.0 kg approx. (without footplastes, rear wheels, armrests, antitippers)	manual version starting from 10.0 kg
MAXIMUM LOAD	125 kg	125 kg	125 kg
ENCUMBRANCE (folded wheelchair)	30 cm approx.	32 cm circa (con ruote posteriori da 300 mm)	29 cm approx.
TILT IN SPACE		0° 40°	
POWER UNIT			width: 21cm + seat width length: 60cm height: 40cm weight without batteries: 23,5kg batteries weigth: 2 x 14,7kg

 $\label{eq:accessories} \mbox{ACCESSORIES AND OPTIONAL: consult the technical order form.}$

The technical data in this chart may change without notice. Some data in this chart may depend on the final configuration of the wheelchair.

TECHNICAL DATA









10	ν $_{\rm CD}$	JUN	$1 \cap D$
.11	r	.11.71.8	11 715

EXELLE JUNIOR

JUNIOR LIGHT

TEKNA TILT JUNIOR

JOKER JUNIOR	EXELLE JUNIOR	JUNIOR LIGHT	TEKNA TILI JUNIOR
ULTRALIGHT RIGID (folding backrest)	ULTRALIGHT FOLDING (seat)	LIGHT FOLDING (seat)	TILTING FOLDING (seat and backrest)
27 30 33 36 39 cm	27 30 33 36 39 cm	27 30 33 36 cm	27 30 33 36 39 cm
30 32.5 35 37.5 40 cm	30 32.5 35 37.5 40 cm	30 32.5 35 37.5 cm	30 32.5 35 37.5 40 cm
from 15 to 50 cm (adjustable)	from 13 to 40 cm (adjustable)	from 18 to 40 cm (adjustable)	from 20 to 50 cm (adjustable)
from 24.5 to 47 cm (adjustable)	from 24.5 to 47 cm (adjustable)	from 27 to 47 cm (adjustable)	from 35 to 72,5 cm (adjustable)
from 74° to 94° (adjustable)	Standard frame 90° Dynamic frame from 81° to 99° (adj.)	90°	from 78° to 102° (adjustable)
0° 2° 4°	Standard frame 0° 1.5° 3° Dynamic frame 0° 1.5° 2° 4°	0°	0°
from 40 to 56 cm (adjustable)	from 39 to 58 cm (adjustable)	from 41 to 50 cm (adjustable)	from 39 to 50 cm with flat seat (adjustable)
from 38 to 46 cm (adjustable)	from 38 to 51 cm (adjustable)	from 38 to 47 cm (adjustable)	from 39 to 50 cm with flat seat (adjustable)
Aluminium 90° 100° Carbon 90° 95°	100°	100°	Standard 85° 90° (adj.) frame with swing away/removable footplates 85° 90° 95° 100° (adj.)
seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	seat width + 17 cm (with 0° camber)	Larghezza seduta + 20 (con ruote post. da 300 mm)
75 cm approx.	75 cm approx.	80 cm approx.	90 cm approx. (70 cm without footplates)
starting from 8,5 kg approx.	starting from 10.2 kg approx.	starting from 13.0 kg approx.	starting from 16.5 kg approx.
starting from 5.9 kg approx.	starting from 7.8 kg approx.	starting from 9.7 kg approx.	starting from 11.0 kg approx. (without footplastes, rear wheels, armrest antitippers)
125 kg	125 kg	80 kg	125 kg
	26 cm approx. (with 0° camber)	28 cm approx.	32 cm approx. (with 300 mm rear wheels)
			0° 40°

 $\label{eq:accessories} \mbox{ACCESSORIES AND OPTIONAL: consult the technical order form.}$

^{*} optional frames: A = frame with adjustable angle; B = frame with adjustable angle and swing away/removable footplates; C = frame with elevating footplates.

B-GAME



RR sport, the Progeo's sport wheelchairs.

A frame built around your body to support the most competitive of users.

B-GAME, a project that combines the most innovative technical solutions to ensure maximum strength, agility and reactivity. An indestructible frame, custom-made with super-strong materials, to protect the athlete, regardless of their speed, aggressiveness and different conditions of play.





Anti tip system (single or double caster) with adjustment for the distance to the ground.



The positioning and stability of the legs are ensured by the frame's structure; width made-to-measure. Front bumper.



Absolute resistance thanks to the geometry of the tubes welded to the main axle. Seat canvas with adjustable Velcro straps.



T-GAME





RR sport, the Progeo's sport wheelchairs.

A frame built around your body to support the most competitive of users.

T-GAME, a project that combines the most innovative technical solutions to ensure maximum strength, agility and reactivity. An indestructible frame, custom-made with super-strong materials, to protect the athlete, regardless of their speed, aggressiveness and different conditions of play.





Anti tip system (single or double caster) with adjustment for the distance to the ground.



The positioning and stability of the legs are ensured by the frame's structure; width made-to-measure.



Absolute resistance thanks to the geometry of the tubes welded to the main axle. Seat canvas with adjustable Velcro straps.



ONDA



The beach wheelchair especially designed to enjoy your holiday.

- Seat and backrest in allergy-free plastic thread for a perfect ventilation and body weight distribution
- Anatomic outline for great comfort
- Quick backrest angle adjustment in four positions; it can be used as chair or deck-chair for your sunbath
- High backrest for head support, too
- Wide wheels allow for easy moving on the sand
- Folding backrest and removable wheels to easy transport
- Aluminium alloy frame, practical, light and strong
- Made with water-resistant materials to directly get into the sea
- Version with 2 rear wheels only for reduced encumbrance and easy transfers
- Version with 4 wheels for relaxing ride on the sand (removable front wheels).



Backrest adjustable in 4 positions.



Standard configuration.



Front wheels kit (optional).




The seat and backrest in allergy-free plastic thread helps to air and $dry\ the\ body.$



Easy to disassemble and fold, easy to transport.






UNIQUENESS OF THE DETAILS






TECHNOLOGICAL DYNAMISM









EXCELLENT FINISHING





PHYSIO



PROGEO, leader company in active wheelchairs production, adds to its wide range of products "Physio", an innovative trunk postural system. "Physio" stands out for its own exclusive and elegant design that has always characterised PROGEO's products and company's style. The innovative adjustment system facilitates its assembly and makes it suitable to every kind of wheelchair. Thanks to its wide range of shells, it will be possible to customize the system through singling out the most suitable anatomical shape for each user and thus ensuring the best support and comfort.


PHYSIO 7.5

Designed to offer maximum stability as well as to ensure the best posture on the wheelchair. A very new concept of postural system with an elegant design that appeals the active users.



Characteristics

- Breathable and dump proof cover with a pocket at the back.
- Extra comfortable pad.
- Removable lumbar support.
- · Aluminium shell.



Ideal for wheelchairs from 27 to 48 cm wide (for sizes and configurations, consult the technical order form).


PHYSIO 7.5 CARBON

Designed for more active and demanding users. Extremely light, excellent design.



Characteristics

- Breathable and dump proof cover with a pocket at the back.
- Extra comfortable pad.
- Removable lumbar support.
- Full carbon fibre shell.



Ideal for wheelchairs from 30 to 48 cm wide (for sizes and configurations, consult the technical order form).


PHYSIO 15 DEEP

A shaped backrest that offers a greater lateral support. The wide range of configurations allows for the best comfort and support.



Characteristics

- Breathable and dump proof cover with a pocket at the back.
- Extra comfortable pad.
- Removable lumbar support.
- Aluminium shell.



Ideal for wheelchairs from 27 to 48 cm wide (for sizes and configurations, consult the technical order form).

PHYSIO



The Physio's cover is designed with the latest generation fabrics combine the main characteristics of high resistance to wear and tear with those of best breathable materials. Furthermore, such fabrics are also hypoallergenic, non-toxic and fire proof.



The cover also includes a pocket for personal belongings, a handle, a light-reflecting edge (useful to make the wheelchair visible in urban situations with little or no light) and vanity flap (not included) fixing point.



25 mm thick high density urethane foam pad. Lumbar support to be inserted between the cover and the pad. Polyethylene adhesive tape to be cut and stuck to the foam where more support is





Swing-away laterals Swing-away thorax supports, available in two sizes (17.5 x 11.5 and 14 x 9.5 cm) with wide range of adjustment in height, depth and sideward. Simple, strong and reliable system.



Physio headrest Multi-adjustment double ball system to position the pad as desired; available with two contoured pad widths (28 and 34 cm).



Harness



Ø 26 mm

The clamp An outstanding system suitable to most wheelchairs in the market today. The clamp are universal and can adapt themselves to canes with from 18 to 26 mm.



Hardware
It is vital that the installation of the hardware is easy. Physio gives an excellent answer to all the adaptations and adjustment possibilities with a very simple assembly system.



Lock lever Easy-to-operate, it safely locks the backrest to the wheelchair.



Depth and angle adjustment plate for 25 and 33 cm high shells.




Angle adjustment: from + 18° to – 18° with relation to the backrest tubes.



Depth and angle adjustment plate for 41 and 52 cm high shells – it ensure high resistance against the flexion of the backrest.



Depth adjustment: positioning with continuous adjustment from -4 cm to + 6 cm with relation to the backrest tubes' axle







The company reserves to make changes and improvements without notice. It also reserves the right of total or partial reproduction. All wheelchairs shown in this catalogue are not necessarily photographed in standard configuration.

PROGEO by RehaTEAM s.r.l. Vicolo Negrelli 4, 31040 Castagnole di Paese TV ITALY - Tel. $\pm 39.0422.484657$ r.a. $/\pm 39.0422.484657$ r.a. $/\pm 39.0422.484661$ r.a. $/\pm 39.0422.484684$ - info@rehateamprogeo.com - www.rehateamprogeo.com.

Company certified in compliance with the rules UNI EN ISO 9001. Product in compliance with CE rules



