

JAY

RG I





OUR LIGHTEST CHAIR YET.....

The lighter the wheelchair, the less energy you need to push – it's as simple as that.

The Sub4 glides effortlessly due to the lightweight and rigid frame, you can be sure the Sub4 isn't just super light, but it's super strong too!



SUB4 MADE TO MEASURE FRAME

Frame designed to weigh in at 1.73kgs

Components

- // Lightweight Carbon fibre sideguards with fender
- // Lightweight Carbon fibre footplate with weight saving hole
- // Titanium fasteners used throughout
- // Compact brakes with lightweight mounting system
- // Sports bearing housing with plastic top bearing
- // New stem bolt complete with integrated washer
- // A7075 castor axle with Titanium strengthening bolts and astic spacers
- // Lightweight nylon footrest mount with 'Easy Adjustment System'

SUB4 UPHOLSTERY

KEY FEATURES:

// New mesh strap adjustable seat upholstery, including low profile titanium buckles

// Optimised air tech strap adjustable backrest and centre pad, including mesh cover panel and low profile titanium buckles





SUB 4 KG – GUARANTEED, NO HIDDEN EXTRAS ...

Your made to measure wheelchair frame is guaranteed to be under 4 kg, we'll even write the exact weight on your certified frame.

This includes all standard components such as; compact wheel locks, carbon fibre side guards with fender, Frog-legs castors, carbon fibre footrest cover and upholstery.

The rear wheels and cushion are not included as these are easily removed for transportation.

STANDARD INCLUSIONS:

- // Aerospace grade 7 series aluminium
- // Optimised hollow forged castor arm
- // Fixed centre of gravity
- // Fixed backrest
- // Low profile cross braces
- // Optimised single tube design
- // Optimised axle and pin set up with Titanium sleeves
- // Polished or brushed finish
- // Lightweight sideguard mounting system
- // Lightweight brake mounting system
- // Max user weight 110 kg



TECHNICAL DATA

TIGA SUB4 // Ultra-Lightweight Wheelchair

Max. user weight	110 kg	Total length	880 mm
		Total height	900 mm
Frame version	Fully welded open frame	Max. pivot width	880 mm
Frame inset	Custom-made	Front wheel	3" / 4" / 5"
Frame angle	Custom-made	Rear wheel	24" / 25"
Seat width	250 - 440 mm	Frame Weight	Under 4kgs
Seat depth	250 - 440 mm	Removable parts	Rear wheels (for transport only)
Seat height front	380 - 520 mm	Colours	23 frame colours plus 5 anodised accent colours
Seat height rear	360 - 500 mm	Intended use as seat in motor vehicle	Not released as seat in motor vehicles
Backrest height	100 - 400 mm		
Backrest angle	Custom-made	Transport without user	Fix the wheelchair safe in the vehicle (e.g. car or plane)
Centre of gravity (COG)	25 - 125 mm	Intended use and environment	For people with limited mobility (children & adults); self-propelling or being pushed by an assistant, indoor and outdoor use.
Wheel camber	1° / 2° / 3°		
Total width	Max. 680 mm (SW + 240 mm)		

MADE TO MEASURE FRAME LESS THAN 4KG GUARANTEED!



© Sunrise Medical. RGK TIGA SUB4 Rev A.AU

Sunrise Medical Australia Pty Ltd 6 Healey Circuit, Huntingwood, NSW 2148 Phone: (02) 9678 6600 Fax: (02) 9678 6655 Email: enquiries@sunrisemedical.com.au www.sunrisemedical.com.au

Ŵ